



Zane State College Medical Laboratory Technician Program Outcomes
Graduating Classes 2020-2022

American Society of Clinical Pathology exam pass rates (as of 04/19/2023)

Year	Class of 2020	Class of 2021	Class of 2022
Total number of exam takers	6	9	3
Total number of exam takers who passed	6	9	3
ZSC ASCP certification pass rate	100%	100%	100%
National average ASCP pass rate	83%	80%	78%

Three-year average: ZSC = 100%, NAACLS benchmark is \geq 70%

Zane State College graduation rates

Year	Class of 2020	Class of 2021	Class of 2022
Total number of students that started the final half of the program that complete the first half of the program at ZSC	6	10	4
Total number of students that graduated	6	9	3
ZSC Graduation rate	100%	90%	75%

Three-year average: ZSC = 88%, NAACLS Benchmark is \geq 70%

Zane State College job placement rates

Year	Class of 2020	Class of 2021	Class of 2022
Total number of program graduates	7	9	3
Graduates that found employment as a MLT or continued their education within six months	5	9	3
ZSC graduate placement rate	71%	100%	100%

Three-year average: ZSC = 90%, NAACLS Benchmark is \geq 70%

The National Accrediting Agency for Clinical Laboratory Sciences (NAACLS) requires that programs present “external certification rate, graduation rate, and placement rate outcomes data for each of the last three active years.” These three outcome measures are reported to NAACLS as part of annual report submissions. The current benchmark for these outcomes is 70% over a running three-year period.